

GETREN® M 2200

Chemical description

Silicone oil emulsion.

Physical properties

Appearance	white
Active content	37.5 – 39.5 %
Efflux time (ISO cup 3 mm / 23 °C)	30 – 60 sec.
Specific gravity (25 °C)	approx. 1.0 g/cm ³
Type of emulsion	O/W
Type of emulsifier	non-ionic

Application fields

GETREN® M 2200 is a release agent for rubber mouldings.

Advantages

- Suitable for all common rubber compounds.
- Usable for injection moulding, pressing and stamping.
- Dilutable with distilled or deionised water in any proportion without becoming unstable.

Dosage/Handling

GETREN® M 2200 should be diluted to an active matter content of 1 – 3 %. Stir before use.

GETREN® M 2200 is applied by spraying onto the mould. It is important that the release film covers the whole mould to obtain the best results. The release film has to be dry before loading the mould.

Registration Status

The ingredients of GETREN® M 2200 are listed in the following chemical inventories:

EINECS, TSCA, DSL, AICS and CHINA.

Storage stability

In closed containers GETREN® M 2200 can be stored for at least 6 months. Protect from frost!

Packaging

- 25 kg PE drum (300 kg per pallet)
- 200 kg PE drum (800 kg per pallet)

Hazardous goods classification

Information concerning

- classification and labelling according to regulations for transport and for dangerous substances
- protective measures for storage and handling
- measures in case of accidents and fire
- toxicity and ecological effects

is given in our material safety data sheets.

07/2016

Trademark notice and legal notice

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

(Status: July 2015)

Evonik Nutrition & Care GmbH

Goldschmidtstr. 100, 45127 Essen, Germany

Phone Europe +49 201 173-2665, Asia +86 21 61191 125, Americas +1 804 727 0700

interface-performance@evonik.com, www.evonik.com/interface-performance