

# TEGO® Antifoam 50

TEGO® Antifoam 50 is a high efficiency silicone based antifoam emulsion which can be diluted with water. TEGO® Antifoam 50 may be used for foam control in various industrial applications.

## Physical properties


Appearance at 25°C	liquid, milky, white
Active content	50 %
Non volatile content	51 – 54 %
Type of emulsifier	non-ionic
Density at 20 °C	approx. 1.0 g/cm <sup>3</sup>

## Application

TEGO® Antifoam 50 can be used to prevent or to destroy foam in a wide range of industrial applications.

## Dosage/Handling

Due to the distinct thixotropic behaviour of TEGO® Antifoam 50 pre-dilution with water (1 : 1 – 1 : 20) prior to use is beneficial in a number of applications. We recommend to add the water slowly into the emulsion while stirring gently at low shear rates.



## Registration status

The components of TEGO® Antifoam 50 are listed in the following chemical inventories:

EINECS, TSCA, DSL, ENCS, AICS, ECL, PICCS, CHINA

## Storage stability

TEGO® Antifoam 50 is stable in closed containers for at least 6 months. TEGO® Antifoam 50 must be stored at frost-free conditions.

## Packaging

210 kg drums (840 kg each pallet)

## Hazardous goods classification

Information concerning

- classification and labelling according to regulations for transport and for dangerous substances
- protective measures for storage and handling
- measures in case of accidents and fire
- toxicity and ecological effects

is given in our material safety data sheets.

07/2015

## Trademark notice and legal notice

This information and all further technical advice are based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

(Status: July 2015)

## Evonik Nutrition & Care GmbH

Goldschmidtstr. 100, 45127 Essen, Germany

Phone Europe +49 201 173-2665, Asia +86 21 61191 125, Americas +1 804 727 0700

interface-performance@evonik.com, www.evonik.com/interface-performance